


BETON TRAPEZ



70-915 TEKNİK ÖZELLİKLER

KALINLIK mm	G Kg/m ²	Brüt Atalet Momenti I_{kg} / mm^4	Efektif Atalet Momenti $I_{\text{eff}} / \text{mm}^4$	Efektif Mukavemet Momenti $W_{\text{eff}} / \text{mm}^3$	Moment Kapasitesi $M_c / \text{kNm-m}$	Gövde Ezilme Dayanımı $R_{w,rd} / \text{kN-m}$
0,70	7,52	669742	616539	17117	2,255	19,76
0,80	8,59	764470	714538	20014	2,637	25,48
0,90	9,66	859153	813431	22962	3,025	31,78
1,00	10,74	953862	913220	25964	3,420	38,66

980

bincelik